



V

INDEX MAPS.

T. 16 N. R. 10 W. 2nd Mer.



T. 1 N. R. 11 West 2nd Mer.



The figures on the lines refer to the page.

township N. 1 North, Range N. 1 West, 2nd Mer. Ind.
ch. l. l. l.

South Boundary or Base Line

West On S. boundary of Sec. 36.

16.40 a Hickory 40 in. dia.

40.00 Set q. Sec. post, from which

a Hoopash 10 in. dia. bear S 35 W 4 lb. dist. 5

a W. Ash 16 " " " N 59 E 50 " "

59.30 to E. bank of White River S 10 W

69.83 across W. River to W. bank, gentle current

80.00 Set post Cor. to Sec. 35 & 36, from which

a Hoopash 12 in. dia. bear N 82 W 23 lb. dist. 5

a Do 14 " " " S 19 E 15 " "

This mile bottom land, on E. side of River
low & slashy, on West side very rich, timber
Walnut, Sugar, Ash, Locust &c. Spruce and
Pawpaw undergth.

West On S. boundary of Sec. 35

15.80 a B. Walnut 48 in. dia.

39.60 an Elm 16 in. dia.

40.00 Set q. Sec. post, from which

an Elm 12 in. dia. bear N 37 W 21 lb. dist. 5

a Beech 18 " " " S 83 W 56 " "

54.10 a Do 20 " "

80.00 Set post Cor. to Sec. 34 & 35, from which

an Elm 40 in. dia. bear N 35 W 30 lb. dist. 5

a Hoopash 12 " " " S 51 E 42 " "

This mile flat land, timber Hickory, Ash,
Maple, some Elm & Beech, slashy in places
Spruce & Maple undergth.

West On S. Boundary of Sec. 34

5.20 a Sugar 14 in. dia.

40.00 Set q. Sec. post, from which

a Beech 16 in. dia. bear S 82 E 19 lb. dist. 5

a Hoopash 12 " " " N 52 W 33 " "

46.10 a Sugar 14 " "

ch. l. h.

64.20 a P. Walnut 16 in. dia.

80.00 Set post Cor. to Sec. 33 of 34, from which
 a Gum 12 in. dia. bear N 79° W 15 l. h. dist. of
 a Maple 15 " " S 2° W 18 " "
 This mile flat land, timber Hickory, ash,
 Maple, some Elm & Beech, Spruce & Maple
 underg^g.

Met On S. boundary of Sec. 33

8.60 a Gum 30 in. dia.

23.43 a Hickory 12 " "

38.36 an Elm 16 " "

40.00 Set gr. Sec. post, from which
 a W. Oak 4 in. dia. bear S 25° E 39 l. h. dist. of
 a W. Oak 14 " " " N 12° W 48 " "

61.25 a Hickory 18 " "

71.94 a P. Oak 30 " "

80.00 Set post Cor. to Sec. 32 of 33, from which
 an Elm 10 in. dia. bear S 61° W 26 l. h. dist. of
 a Hoopash 12 " " North 26 " "
 This mile level bottom rather low timber
 Elm, Ash, Gum &c. Spruce & some pawpaw and

Met On S. boundary of Sec. 32

13.70 a Hoopash 12 in. dia.

40.00 Set gr. Sec. post, from which
 an Elm 12 in. dia. bear N 82° E 8 l. h. dist. of
 a W. Oak 10 " " " S 25° W 31 " "

53.60 an Elm 40 " "

70.20 a P. Oak 18 " "

80.00 Set post Cor. to Sec. 31 of 32, from which
 a Sassafras 18 in. dia. bear N 80° W 29 l. h. dist. of
 a Sugar tree 24 " " " N 18° E 68 " "
 This mile good bottom land, timber Oak
 Elm, Sugar, Ash &c.

T. N. R. M. W. D. Mer Indiana

347

ch. 1/2 m.

West: On S. boundary of Sec. 31

8.66 a Hickory 16 m. dia.

23.00 a field belonging to Mr. Claypole

38.24 an Elm 14 m. dia.

40.00 Set q. Sec. post, from which
a W. Ash 12 m. dia. bear S 23° W 17 m. dist. of
an Elm 13 " " " N 67° W 26 " "

55.60 across field Claypole's house 8 ch. St.

80.00 Set post Cor. to Townships 1 North of 1 South
Ranger 11 & 12 West, from which
a P. Oak 12 m. dia. bear S 55° E 32 m. dist. of
an Elm 14 " " " S 84° W 35 " "

This mile to field good bottom land, the
field mostly prairie the remainder good
Oak, timbered land. Oct. 1804

Mostly covered by private claims

East Boundary.

North On E. boundary of Sec. 36

6.34 a drain Course W.

19.03 a W. Ash 24 m. dia.

26.75 a Brook 6 m. wide Course N. W.

37.84 a Beech 14 m. dia.

40.00 Set q. Sec. post, from which
a P. Walnut 30 m. dia. bear N 11° E 38 m. dist. of
a Beech 8 " " " S 32° E 39 " "

46.03 a Gum 24 " "

55.00 a Brook 8 m. wide Course W. fork

65.09 a Poplar 10 m. dia.

66.40 a Brook 8 m. dist Course W.

80.00 Set post Cor. to Sec. 25 of 36, from which
a Beech 12 m. dia. bear S 41° E 36 m. dist. of
a Beech 10 " " " N 29° W 21 " "

This mile broken of hills, rich soil, timber
Beech, Poplar & Sycamore

North On E. boundary of Sec. 25

T. N. R. M. W. 2nd Mer Indiana

ch. l. l. n.
 5.00 Over hill to bottom
 10.00 Maple 18 in dia.
 35.36 a Hickory 12 in dia.
 40.00 Set gr. Sec. post, from which
 a Hoopash 12 in. dia. bear S 30 E 6 l. n. dist. of
 an Elm 18 " " " N 87 W 35 " "
 80.00 Set post Cor. to Sec. 24 & 25, from which
 a Hoopash 20 in. dia. bear N 68 E 25 l. n. dist. of
 a B. Oak 30 " " " S 20 E 50 " "
 First $\frac{1}{2}$ of this mile overflowed bottom, last $\frac{1}{2}$
 bottom Much Cane, timber, Ash, Elm
 Maple, Hickory &c.

North On E. boundary of Sec. 24

17.10 an Elm 18 in. diam.
 36.60 Intersected W. River - over bottom Cane
 44.31 to N. bank of White River, Set post in an
 improvement no trees to make a corner
 80.00 Set post Cor. to Sec. 13 & 24, from which
 a Mahogany 16 in. dia. bear N 34 W 45 l. n. dist. of
 a poplar 50 " " " S 36 W 46 " "
 This distance broken ridges good soil, timber
 Poplar, Sugar tree, Ash, Spruce & sawpaw underg.
 Partly Covered by private Claiming

North On E. boundary of Sec. 13

16.52 Over high hills to flat land, small improvement
 23.00 Quit November 20th 1874
 40.00 Set gr. Sec. post, from which
 an Elm 20 in. dia. bear S 10 W 34 l. n. dist. of
 a Maple 12 " " " N 83 E 13 " "
 45.30 an Elm 18 " "
 62.50 a Do. 12 " "
 80.00 Set post Cor. to Sec. 12 & 13, from which
 a Maple 16 in. dia. bear S 11 E 45 l. n. dist. of
 a Locust 18 " " " N 42 W 25 " "
 Last $\frac{3}{4}$ of this mile flat land, timbered Elm,

ch. lks.

Maple, Gum & some Locust (Many briar
brush, too flat for Cultivation)

North On E. boundary of Sec. 12

3.50 an Elm 22 in. dia.

40.00 Set q. Sec. post, from which

a Maple 20 in. dia. bray N 21 W 25 lks. dist. &

a Loc. 20 " " " N 24 E 40 " "

62.00 a Loc. 18

80.00 Set post Cor. to Sec. 1 & 12, from which

a Maple 12 in. dia. bray S 17 W 5 lks. dist. &

a Loc. 16 " " " S 64 E 53 " "

This mile low overflowed land, timber Elm
Maple, Gum & Ash, Many briar

North On E. boundary of Sec. 1

15.15 a W. Ash 12 in. dia.

24.00 an Elm 18 " "

40.00 Set q. Sec. post, from which

a Maple 16 in. dia. bray S 22 E 15 lks. dist. &

a Loc. 15 " " " S 78 E 30 " "

55.68 a Gum 30 " "

72.64 an Elm 14 " "

80.00 Set post Cor. to Township 19 N. 2 North, Range
N. 11 West, from which

a W. Oak 12 in. dia. bray S 26 W 20 lks. dist. &

a Loc. 14 " " " S 85 E 33 " "

This mile flat swampy land, timber Elm,
Maple, Gum, Ash & Swamp Oak, but part
of the mile very bushy, with water brush
Land not fit for Cultivation

North Boundary

West On S. boundary of Sec. 36, T 2 N. R 11 W

40.00 Set q. Sec. post, from which

an Elm 14 in. dia. bray N 33 W 46 lks. dist. &

T^h N. R 11 W. 2^d Mer. Indiana

ch. 2. lks

a W. Oak 28 in. dia. - bray N 80 W 38 lks. dist. of
 79.14 a Swamp W. Oak 28 in. dia.
 80.00 Set post cor. to Sec. 35 & 36, T^h 2 N. R 11 W, from which
 a W. Oak 12 in. dia. - bray N 85 W 33 lks. dist. of
 a W. Oak 16 " " " N 62 E 45 " "
 First 16 Chain, Swampy land, then 10 ch. dry
 Oak timbered land - remainder Swampy
 overflowed land, timber Elm, Maple, Gum
 some Ash & Swamp W. Oak - very brushy

Met On S. boundary of Sec. 35, T^h 2 N. R 11 W
 6.85 an Elm 12 in. dia. -

20.56 a Hickory 20 " "

40.00 Set q. Sec. post, from which
 a Maple 12 in. dia. - bray S 1 E 25 lks. dist. of
 a W. Oak 12 " " " N 37 W 37 " "

74.78 a Gum 20 " "

80.00 Set post cor. to Sec. 34 & 35, T^h 2 N. R 11 W, from which
 an Elm 12 in. dia. - bray N 4 E 15 lks. dist. of
 a Gum 13 " " " S 44 W 29 " "
 This mile flat Swampy land, timber, Elm, Maple,
 Gum & some Ash; land not fit for cultivation

Met On S. boundary of Sec. 34, T^h 2 N. R 11 W
 21.72 a Gum 24 in. dia.

29.10 a Do. 18 " "

40.00 Set q. Sec. post (in edge of Swamp or pond
 very large W of S.) from which
 a W. Oak 20 in. dia. - bray N 77 E 21 lks. dist. of
 a Swamp W. Oak 18 " " " N 10 W 35 " "

80.00 Cor. to Sec. 33 & 34, T^h 2 N. R 11 W in impossible
 Swamp - the last 1/2 mile poor Swampy land
 timber Elm, Gum & Maple.

Met On S. boundary of Sec. 33, T^h 2 N. R 11 W
 26.69 leave the pond (passed it by offset)

351

T. N. R. N. W. 2^d Mer. Indiana

ch. P. lbr.

- 40.00 Set gr. Sec. post, from which
a Gum 14 in. dia. - bray N 22 E 9 lbr. dist. of
a W. Ash 24 " " " S 16 W 62 " "
- 53.00 a W. Ash 28 " "
- 65.30 a Gum 12 " "
- 80.00 Set post Cor. to Sec. 32 of 33, T. 2 N. R. 11 W. from which
an Elm 14 in. dia. - bray N 62 W 4 lbr. dist. of
a Hoopash 12 " " " S 84 E 43 " "
- The 1st 1/2 mile from pond rich land, then over-
flowed, - last 1/2 mile rich bottom some
narrow swampy places, timber Elm, Hickory
Walnut & Ash, underg^g. Spice.

- Met On S. boundary of Sec. 32, T. 2 N. R. 11 W
- 3.50 a B. Walnut 18 in. dia.
- 22.16 to the Bank of Wabash River, Set post
fact. Cor. to Sec. 32, T. 2 N. R. 11 W. from which
a Gum 12 in. dia. - bray N 66 E 9 lbr. dist. of
a Imp. W. Oak 14 " " " S 42 W 30 " "
- This distance rich bottom, timber Walnut
Elm, Ash, Hickory, & Spice brush very thick.
Quit November 21st 1804.

- ### West Boundary
- North On E. boundary of Sec 36, T. 1 N. R. 12 W
- 11.36 a W. Oak 16 in. dia.
- 40.00 Set gr. Sec. post, from which
a W. Ash 18 in. dia. - bray S 5 W 24 lbr. dist. of
a Ho. 20 " " " N 34 E 42 " "
- 40.40 a W. Ash 19 " "
- 69.00 a Swamp 66 lbr. wide Course N. E. & S. W.
- 76.82 a Gum 14 in. dia.
- 80.00 Set post Cor. to Sec. 25 of 36, T. 1 N. R. 12 W. from which
a Gum 26 in. dia. - bray S 57 E 52 lbr. dist. of
a W. Ash 10 " " " N 36 W 22 " "
- First 1/2 mile level Oak, Hickory & Gum, last

St. R. M. W. 2^d. Mer. Indiana
ch. 1st 1st

1/2 mile flat overflowed ground (many Green-
brier, timber Gum, Elm, Maple & ash &
many black-berry briar - worthless country
Partly Covered by private Claim.

North On E. boundary of Sec. 25, St. R. M. W.

16.73 a Hoopash 16 inches diameter

30.90 a W. Walnut 18 " "

40.00 Set of Sec. post, from which
a W. Ash 12 in. diam. bray N 9° W 3 lms. dist. of
an Elm 15 " " " S 43° W 30 " "

43.80 a Poplar 20 " "

55.63 Set Meander post on the Wabash River
fact. Cor. to Sec. 25, from which
a Hickory 13 in. diam. bray S 67° W 19 lms. dist. of
a Do. 12 " " " S 13° E 31 " "
This distance flat swampy land, timber Elm,
Maple, Ash &c. Much Spruce undergth.
Surveyed by E. Buckingham, D. S.

Subdivision.

North Between Secs. 25 & 36

17.72 a W. Ash 15 in. diam.

40.00 Set of Sec. post, from which
a Beech 9 in. diam. bray S 33° W 8 lms. dist. of
a Do. 16 " " " N 46° E 16 " "

56.00 a Do 15 " "

80.00 Set post Cor. to Secs. 25, 26, 35 & 36, from which
a Hickory 12 in. diam. bray N 39° W 3 lms. dist. of
a Sycamore 10 " " " S 77° E 42 " "
Rich bottom land, timber Elm, Sugar, Ash,
Gum & Beech, undgth Spruce & pawpaw
Partly Covered by private Claim

East On Rand^m. between Secs. 25 & 36

25.00 to a pond

28.50 through the pond

34.58 Set Meander post on Bank of W. River

St. R. N. D. Mer. Indiana

ch. l. m.

frac. Cor. to Sect 25 & 36, from which
 a Mulberry 9 in. dia. bran S 12 E 11 l. m. dist. of
 an Elm 12 " " " N 36 E 30 " "
 46.82 to post on opposite side of River.
 81.43 intersected E. boundary 15 l. m. S. of post

West Anticline between Sect. 25 & 36

6.00 downhill to bottom
 34.30 Set post on E. bank of W. River from which
 an Elm 12 in. dia. bran S 76 E 24 l. m. dist. of
 a Mulberry 10 " " " S 8 1/2 E 22 " "
 40.71 gr. Sec. post with the River
 81.43 to Sec. Cor. - Low bottom, timber Elm
 Ash, Beech, Hickory &c.

North Between Sect. 25 & 26

25.31 a Gum 24 in. dia.
 40.00 Set gr. Sec. post, from which
 a Sugar 21 in. dia. bran S 53 E 11 l. m. dist. of
 an Ash 7 " " " N 88 W 4 " "
 56.63 a Sugar 18 " "
 66.00 to a pond Course E & W.
 67.85 Over the pond
 80.00 Set post Cor. to Sect. 23, 24, 25 & 26, from which
 an Elm 14 in. dia. bran S 58 E 17 l. m. dist. of
 a Sugar 12 " " " N 89 W 21 " "
 This mile rich bottom land, W. Ash, Sugar,
 Elm, Locust & underg^g, Spice

East On Rand. between Sect. 24 & 25

14.00 to a pond
 19.50 through the pond
 33.70 intersected W. bank of W. River full S. 170 l. m.
 43.37 to post on E. bank of W. River
 81.87 intersected E. boundary - l. m. - of post
 Rich bottom land Elm, Sugar, Beech, Gum

St. N. R. M. W. D. Mer. Indiana
 ch. 2th Hackberry. June 21st 1807

West On true line between Secs. 24 & 25

37.69 Set post on E. bank of White River, from which
 a Cottonwood 18 in. diam. is the corner of
 a do. about the same size N & S. within
 one link

40.93 $\frac{1}{2}$ go. Sec. Corner in the River

48.17 Set Meander post on N. bank of river from which
 a S. Oak 25 in. diam. & beam N 4 $\frac{1}{2}$ W 16 $\frac{1}{2}$ lks. dist. of
 a Hornbeam } " " " N 66 E 14 " "

81.87 to Sec. Corner

North Between Secs. 34 & 35

17.82 an Elm 18 in. diam.

40.00 Set go. Sec. post from which
 an Elm 14 in. diam. & beam S 23 E 13 lks. dist. of
 a do. 12 " " " N 46 W 23 " "

80.00 Set post Cor. to Secs. 26, 27, 34 & 35 from which
 a Hackberry 7 in. diam. & beam S 48 E 8 lks. dist. of
 a do. 10 " " " N 54 W 10 " "

Rich land, Sugar, Beech, Elm, B. Walnut &c.
 undergth Spice & prairie.

Partly covered by private claims

East On Randm. between Secs. 26 & 35

40.00 Set temp. go. Sec. post

63.00 to a Swamp Elm, Maple, Willow &c

70.00 through the Swamp

80.00 intersected the N & S. line 70 lks. N. of post.
 Rich level land N & B. Walnut, Elm, Beech
 Sugar &c. undergth Spice & prairie

West On true line between Secs. 26 & 35

40.00 Set go. Sec. post at average dist. from which
 a Hackberry 12 in. diam. & beam N 29 E 10 lks. dist. of
 a Locust 9 " " " N 67 E 11 " "

St. PMW. 2nd Mer. Indiana

355

ch. 2th

80.00 to Sec. Corner. June 22nd 1807

North Between Sec. 26 & 27

22.44 a Hackberry 10 in. dia.

40.00 Set of Sec. post, from which
at Beech 8 in. dia. bay S 48° W 14 lb. dist. of
a Do. 9 " " " S 53° E 20 " "

59.00 Crossed a road N.E. & S.W.

60.95 a Hackberry 10 in. dia.

80.00 Set post Cor. to Sec. 22, 23, 26 & 27, from which
a Hackberry 14 in. dia. bay S 49° E 5 lb. dist. of
a Do. 10 " " " N 28° W 13 " "

Rich level land, Sugar, Beech, Elm, Maple
Hackberry, B. Walnut &c. undng. Spruce & prairie.
Mostly Covered by private Claims

East On Can 9^m between Sec. 23 & 26

11.00 to a pond 350 lb. wide Cr. N.W.

15.00 to a plantation

22.00 to a pond

35.00 to a plantation

40.00 Set temp. of Sec. post

44.50 Crossed a road N.E. & S.W.

65.00 to a Swamp, Ash, Elm, Maple &c

70.00 through the Swamp

79.47 intersected the N & S. line 100 lb. N. of post
Land timber &c. Same as on the last mile

West On true line between Sec. 23 & 26

39.73¹/₂ Set of Sec. post at average dist. from which
an Elm 16 in. dia. bay S 44° W 34 lb. dist. of
a Do. 16 " " " S 63° E 75 " "

79.47 to Sec. Corner nearly all Covered by private Claims

North Between Sec. 23 & 24

23.00 Crossed wagon Road N.E. & S.W.

29.80 a Hackberry 10 in. dia.

T. N. R. M. W. 2nd Mer. Indiana

ch. 2. 1/2
 40.00 Set of Sec. post, from which
 a W. Ash 10 in. dia. bran N 46° W 19 lks. dist. of
 a dogwood 9 " " " N 13° E 34 " "
 41.00 to a Swamp 200 lks. wide 1/4 mile long, E & M.
 59.55 a Maple 22 in. dia.
 80.00 Set post Cor. to Sec. 13, 14, 23 & 24, from which
 a W. Ash 20 in. dia. bran N 71° E 11 lks. dist. of
 an Elm 9 " " " S 83° W 11 " "
 This mile mostly wet bottom land, Sugar,
 Beech, Elm, W. Ash &c. Spruce &c
 Mostly Covered by private Claims

North Between Sec. 22 & 23,
 14.77 a Honey Locust 25 in. dia.
 40.00 Set of Sec. post, from which
 an Elm 18 in. dia. bran S 11° E 11 lks. dist. of
 a do. 8 " " " N 7° E 15 " "
 50.94 a B. Walnut 24 in. dia.
 80.00 Set post Cor. to Sec. 14, 15, 22 & 23, from which
 an Elm 12 in. dia. bran S 18° W 12 lks. dist. of
 a Hoopash 9 " " " N 48° E 15 " "
 This mile Rich bottom, Elm, B. Walnut,
 Sugar Hoopash &c. undergth Spruce & Swamp
 Partly Covered by private Claims

East On Rand. between Sec. 14 & 23
 40.00 Set temp. of Sec. post
 79.48 Intersected the N & S. line 110 lks. dist. of
 Mostly low bottom some swampy land
 Ash, Elm, Hoopash, Maple &c undergth
 Spruce, Greenbrier &c.

West On true line between Sec. 14 & 23
 39.74 Set of Sec. post at average dist. from which
 a Maple 9 in. dia. bran N 73° W 13 lks. dist. of
 a do. 14 " " " S 58° E 31 " "
 79.48 to Sec. Corner. partly Covered by private Claims

357

S. N. R. M. W. D. Mer. Indiana.

ch. 2 lks.
East On Rand^m between Sec. 13 & 24
38.00 Crossed a road N. E. & S. W.
40.00 Set temp. q. Sec. post
60.00 to good hill land, Sugar, Beech, Lym, B. Walnut &c.
66.50 to a Spring run N. W.
82.70 Intersected E. boundary 31 7/8 lks. N. of the post
Rich bottom but low, timber Sugar, Walnut,
W. Ash, Lym, Hoopash &c. underg^d Spice &c.

Post On true line between Sec. 13 & 24
41.35 Set q. Sec. post at average dist. from which
a Sugar 14 in. dia. bran N 76 E 8 lks. dist. of
an Elm 36 " " " N 59 W 24 " "
82.70 to Sec. Corner. June 23^d, 1877

North Between Sec. 13 & 14
13.79 an Elm 21 in. dia.
40.00 Set q. Sec. post, from which
a Hackberry 7 in. dia. bran S 87 W 1 lks. dist. of
a S. Oak 21 " " " N 62 E 109 " "
61.35 a Do. 27 " "
80.00 Set post Cor. to Sec. 11, 12, 13 & 14, from which
a Cottonwood 14 in. dia. bran S 53 W 41 lks. dist. of
a S. Oak 16 " " " N 83 E 31 " "
Low swampy land, Maple, W. Ash, Hoopash,
Yellow Locust, underg^d Spice & Greenbrier

North Between Sec. 14 & 15
16.36 an Elm 24 in. dia.
40.00 Set q. Sec. post, from which
an Elm 14 in. dia. bran S 15 E 18 lks. dist. of
a W. Ash 24 " " " N 50 E 30 " "
56.50 a S. Gum 40 " "
80.00 Set post Cor. to Sec. 10, 11, 14 & 15, from which
an Elm 10 in. dia. bran S 24 E 11 lks. dist. of
a Do. 10 " " " N 60 W 16 " "

T. N. R. M. W. 2nd Mer. Indianach. 2nd 1/2

Low Swampy land, Elm, Maple, S. Gum,
W. Ash, Hoopash & undergroundth Spice, Chumbray &c.

East On Rand^m. between Sec. 11 & 1440.00 Set temp^y. gr. Sec. post80.66 Intersected the N of S. line 122th lth. S. of post
Low Swampy land, timber as last mile

West On true line between Sec. 11 & 14

40.33 Set gr. Sec. post at average dist. from which
a W. Ash 12 in. dia. beam S 85° W 10 lth. dist. of
a do. 15 " " " N 85° E 18 " "

80.66 to Sec. Corner

East On Rand^m. between Sec. 11 & 1440.00 Set temp^y. gr. Sec. post82.40 Intersected the N of S. line 146th lth. N. of post
Low Swampy land, timber as on last mile

West On true line between Sec. 11 & 14

41.20 Set gr. Sec. post at average dist. from which
a Maple 8 in. dia. beam S 58° W 3 lth. dist. of
a do. 20 " " " S 22° E 52 " "

82.40 to Sec. Corner.

North Between Sec. 11 & 12

18.81 a Sycamore 20 in. dia.

40.00 Set gr. Sec. post, from which

a Red bud 7 in. dia. beam N 48° E 19 lth. dist. of
a Dogw? 6 " " " S 82° W 20 " "80.00 Set post cor. to Sec. 1, 2, 11 & 12, from which
a Gum 18 in. dia. beam N 81° W 15 lth. dist. of
a do. 16 " " " S 37° E 36 " "

This mile mostly rich bottom, S. Gum
P. Ash, Elm, &c. undergroundth Spice, Cam &c

T. N. C. M. N. 2nd Mer. Indiana

359

ch. lks

East On Rand^m. between Sec. 1 & 12

40.00 Set temp. gr. Sec. post

81.90 Intersected E. boundary 56 lks. N. of post
Mostly rich upland W. Oak, B. Walnut,
W. Ash, Gum, Elm &c. underg^d. Spruce,
Birch &c. Some Swamp, Elm, Maple &c

West On true line between Sec. 1 & 12

40.95 Set gr. Sec. post at average dist. from which
a Gum 8 in. dia. - beam N 19 E 8 lks. dist. of
a Dogw? " " " S 6 E 10 " "

81.90 to Sec. Corner. June 24th 1807

North Between Sec. 1 & 2

40.00 Set gr. Sec. post, from which
a Gum 18 in. dia. - beam S 20 W 40 lks. dist. of
a Do. 18 " " " S 9 E 35 " "

61.10 a S. Oak 15 " "

81.39 Intersected N. boundary 160 lks. N. of post
Set post Cor. to Sec. 1 & 2, from which
a W. Ash 12 in. dia. - beam S 4 E 11 lks. dist. of
a Maple 21 " " " S 27 W 48 " "
This mile low swampy land, timber Elm,
Gum, Hoopash, S. Oak &c. underg^d. Small oak
Hoopash, Greenbrier, Spruce &c.

North Between Sec. 10 & 11

23.40 to River Lechee 70 lks. wide Course W.

25.50 a Locust 16 in. dia.

40.00 Set gr. Sec. post, from which
a Hickory 12 in. dia. - beam N 11 W 39 lks. dist. of
no more trees near

61.26 an Elm 9 in. dia.

80.00 Set post Cor. to Sec. 2, 3, 10 & 11, from which
an Elm 9 in. dia. - beam S 22 W 43 lks. dist. of
a Hoopash 14 " " " S 38 E 37 " "

St. R. M. I. Mer. Indiana

ch. l. l. l.

This (mile) rich bottom, Elm, Hoopash, W. Ash, Hickory, Mulberry &c. undug. ^{the} Spice, Quins, Grape vine, &c.

East On Rand^m between Sec. 2 & 11

40.00 Set temp^y. gr. Sec. post

80.40 Intersected the N & S. line 15 7/8 l. N. of post. Mostly low bottom land, Hoopash, Elm, Maple, Mulberry &c. Some good bottom Elm, W. Ash, B. Walnut &c.

West On true line between Sec. 2 & 11

40.20 Set gr. Sec. post at average dist. from which an Elm 9 in. dia. - bear N 66 E 6 l. dist. of a Maple 20 " " " N 66 E 21 " "

80.40 to Sec. Corner. June 25th 1807

North Between Sec. 2 & 3

22.91 a Hickory 14 in. dia.

40.00 Set gr. Sec. post from which a Sycamore 36 in. dia. - bear N 50 E 15 l. dist. of a S. Gum 10 " " " N 19 W 25 " "

52.12 a Gum 15 " "

80.26 Intersected N. boundary 15 1/2 l. West of post. Set post Cor. to Sec. 2 & 3, from which a Gum 8 in. dia. - bear S 24 1/2 E 15 l. dist. of a Co. 10 " " " S 27 W 19 " "

First 1/2 mile rich bottom - last 1/2 low overflowed land Gum, Ash, Locust, Elm, Hoopash, Oak, Hickory &c. undug. ^{the} Quins, Grape vine, Much Grass &c

North Between Sec. 33 & 34

21.78 a Hoopash 15 in. dia.

40.00 Set gr. Sec. post from which a Beech 12 in. dia. - bear S 66 E 20 l. dist. of

361

St. PM W. D. Mer. Indiana

ch. 1/2 m.

a Sassafras 20 in. diam. bran S 57° W 22° E. dist. of
 58.63 an Elm 16 " " "
 80.00 Set post Cor. to Sec. 27, 28, 33, 34, from which
 a Honey Locust 20 in. diam. bran S 39° W 22° E. dist. of
 a W. Ash 7 " " " N 71° E 21 " "
 This mile Rich bottom, Elm, B. Walnut
 Sassafras, W. Ash, Beech &c. undergrowth. Spice
 Greenbrier, nettles &c.

East On Rand^m between Sec. 27 & 34
 20.00 to Open prairie land &c.
 40.00 Set temp^y. q^r. Sec. post
 67.00 through the prairie
 79.72 Intersected the N & S. line 15 km. S. of post
 Over land, timber &c. same as on the east mile

West On true line between Sec. 27 & 34
 39.86 Set q^r. Sec. post at average dist. in prairie
 No trees near
 79.72 to Sec. Cor. partly covered by private claims

North Between Sec. 27 & 28
 13.17 a Maple 20 in. diam.
 40.00 Set q^r. Sec. post, from which
 an Elm 14 in. diam. bran S 18° W 15° E. dist. of
 a Hoopash 7 " " " N 63° E 3 1/2 " "
 80.00 Set post Cor. to Sec. 21, 22, 27 & 28, from which
 an Elm 7 in. diam. bran S 53° W 17° E. dist. of
 a Poplar 40 " " " N 68° E 48 " "
 Rich bottom land, Elm, Beech, W. Ash, B.
 Walnut, Sassafras &c. undergrowth. Spice,
 Grapes vines, nettles &c.
 partly covered by private claims

East On Rand^m between Sec. 22 & 27
 40.00 Set temp^y. q^r. Sec. post
 79.89 Intersected N & S. line at the post

T. 1 N. R. 11 W. 2^d. Mer. Indianach. 2^d 1/2

Rich bottom land, timber as on last mile

West On true line between Sec. 22 & 27
 39.94¹/₂ Set gr. Sec. post at average dist. from which
 an Elm 24 in. dia. bran S 82° E 16¹/₂ lns. dist. of
 a Hackberry 6 " " " N 55° W 6 " "
 79.89 to Sec. Corner. June 26th, 1807
 Partly Covered by private Claims

North Between Sec. 32 & 33

18.40 a P. Oak 10 in. dia.
 40.00 Set gr. Sec. post, from which
 a Hickory 11 in. dia. bran S 25° E 28 lns. dist. of
 a P. Walnut 12 " " " N 38° W 22 " "
 59.39 a Hickory 27 " " "
 80.00 Set post Cor. to Sec. 28, 29, 32 & 33, from which
 a Gum 21 in. dia. bran S 45° W 28 lns. dist. of
 an Elm 16 " " " N 14° E 10 " "
 This mile low bottom, Elm, Gum, P. & W.
 Walnut, W. Oak, Hickory, Oak &c. undergth.
 Spice, Green briar &c.

East On Rand^m. between Sec. 28 & 33

40.00 Set temp^y. gr. Sec. post.
 79.78 Intersected the N & S. line 20 lns. N. of post
 This mile low swampy land, Elm,
 Maple, W. Oak &c.

West On true line between Sec. 28 & 33

39.89 Set gr. Sec. post, from which
 an Elm 10 in. dia. bran S 18° E 19 lns. dist. of
 a Do. 16 " " " N 27° W 18 " "
 79.78 to Sec. Corner.

North Between Sec. 28 & 29

40.00 Set gr. Sec. post, from which
 an Elm 8 in. dia. bran S 14° E 10 lns. dist. of

363

S. N. R. M. N. D. Mer. Ind. a

ch. l. l. l.

an Elm 12 in. dia. bear N 46° W. 15 lms. dist.
 80.00 Set post Cor. to Sec. 20, 21, 28 & 29, from which
 a Mulberry 8 in. dia. bear N 73° E 30 lms. dist. of
 a Gum 21 " " " 175° W 28 " "
 First 1/2 mile Swampy land, Elm, W. ash,
 Maple, Mulberry &c; last 1/2 mile rich
 bottom timber same

North Between Sec. 20 & 21

9.50 to a pond N. E. of S. W.
 15.00 Over the pond about 8 chain wide marsh
 on each side of it.
 30.00 an Elm 24 in. dia. on the S. bank of a pond
 38.62 Over the pond
 40.00 Set gr. Sec. post. (bearing trees Omitted)
 51.67 Set post on the bank of Wabash river
 (no bearings given)
 Land &c. same as on the last mile

East On Rand. m. between Sec. 21 & 28

40.00 Set temporary gr. Sec. post
 50.00 to a pond 400 lms. wide Course N of S.
 71.60 to a Sec. North & South Over the pond
 79.62 Intersected the N of S. line 25 lms. N. of post
 Rich Bottom land, Elm, W. ash, Mulberry
 B. Walnut &c. under gr. Spruce, Grapevine, Elm &c

West On true line between Sec. 21 & 28

39.81 Set gr. Sec. post at average dist. from which
 a Gum 20 in. dia. bear N 22° E 17 lms. dist. of
 an Elm 8 " " " 99° W 30 " "
 79.62 to Sec. corner. Saturday 27th June 1807

North Between Sec. 21 & 22

23.48 a W. ash 8 in. dia.
 36.57 to a pond N. E. & S. W.

S. N. R. M. N. D. Mer. Indiana

ch. lhr.
 39.50 through the pond
 40.00 Let gr. Sec. post, from which
 an Elm 12 in. dia. beam S 37 E 10 lhr. dist. of
 a Gum 18 " " " N 22 W 23 " "
 80.00 Let post Cor. to Sec. 15, 16, 21 & 22, from which
 a Gum 12 in. dia. beam S 77 E 21 lhr. dist. of
 an Elm 12 " " " N 81 W 11 " "
 This mile rich bottom, Elm, W. ash, Gum
 B. Walnut &c. undug. Spruce, birch &c.

East Rand^m between Sec. 15 & 22

40.00 Let temp. gr. Sec. post
 79.92 Intersected the N & S line at the post
 This mile low swampy land, Gum, Elm,
 W. ash, Maple &c. undug. Spruce, wood
 grapevines, Greenbrier &c.

West On true line between Sec. 15 & 22

39.96 Let gr. Sec. post at average dist. from which
 a Gum 9 in. dia. beam N 42 W 16 lhr. dist. of
 a Maple 10 " " " S 57 E 19 " "
 79.92 to Sec. Corner.

North Between Sec. 15 & 16

29.50 an Elm 22 in. dia.
 40.00 Let gr. Sec. post, from which
 an Elm 8 in. dia. beam N 63 W 13 lhr. dist. of
 a Ho. 16 " " " N 61 E 24 " "
 59.79 a W. ash 12 " "
 63.50 to the River Leeches Course W.
 76.50 a Brook 20 lhr. wide Course W.
 80.00 Let post Cor. to Sec. 9, 10, 15 & 16, from which
 an Elm 12 in. dia. beam N 10 E 17 lhr. dist. of
 a Ho. 20 " " " S 30 W 25 " "
 Rich bottom Ash, Elm, Gum &c. undug.
 Spruce, grapevines, birch &c. Sunday 25. June 1887

Pl. N. R. M. W. 2nd Mer. Indiana

365

ch. 2. 1/2 m.

East On Land^m between Sec. 10 & 15

1.50 a Brook 20 m. wide Course S. W

40.00 Let temp. q. Sec. post

43.50 to River Leche 75 m. wide Course S. W.

53.00 Same " " " " S. W.

55.00 Same " " " " S. W.

78.00 Intersected the N & S line 28 m. S. of post.
Rich bottom land, timber ash, (Many
brins & vines)

West On true line between Sec. 10 & 15

39.00 Let q. Sec. post at average dist. from which
a Hickory 12 m. dia. bear N 62 E 9 m. dist. &
a Do. 12 " " " N 50 E 27 " "

78.00 to Sec. Corner.

North Between Sec. 9 & 10

18.50 a W. Ash 30 m. dia.

40.00 Let q. Sec. post, from which

a Hoopash 14 m. dia. bear S 54 W 20 m. dist. &

a Do. 6 " " " S 30 E 15 "

80.00 Let post, Cor. to Sec. 3, 4, 9 & 10, from which

a W. Ash 16 m. dia. bear S 70 E 5 m. dist. &

a Hickory 9 " " " S 17 W 18 " "

Rich bottom land, Elm, W. Ash, Gum, hick
B. Walnut, underg^m. Spice & vines

East On Land^m between Sec. 3 & 10

40.00 Let temp. q. Sec. post

78.27 Intersected N & S line 68 m. S. of post
Rich bottom, timber same as last (mule

West On true line between Sec. 3 & 10

39.13 Let q. Sec. post at average dist. from which

a W. Ash 6 m. dia. bear S 46 E 13 m. dist. &

an Elm 12 " " " N 73 W 108 " "

H. N. R. M. T. 2^d. Mer. Indiana

ch. 1st 1/4
78.27 to Section Corner.

North Between Sec. 3 & 4.

25.88 a Hickory 14 in. diam.

40.00 Set gr. Sec. post, from which
a W. Oak 6 in. diam. bran N 54 E 7 1/2 m. dist. of
a Hickory 16 " " " S 54 W 13 " "

65.52 a W. Oak 40 " "

74.00 Set post on S. bank of pond Cor. to Sec.
3 & 4, from which

an Elm 10 in. diam. bran S 85 E 25 1/2 m. dist. of

a Hoopash 8 " " " West 30 " "

Rich bottom land timber as before

Monday 29th June 1807

North Between Sec. 20 & 21

40.00 Set gr. Sec. post, no bearing trees

51.67 a Lym 8 in. diam. on the S. bank of Mabash

79.00 to north bank of River

80.00 to post Cor. to Sec. 16, 17, 20 & 21

Rich bottom, Ash, Elm, Gum, Lym,

Mulberry &c. undugth. Spruce, grapevines, briars &c

East On Land^g between Sec. 16 & 21

0.60 to the River (Mabash)

16.90 to East bank of the River

40.00 Set temp. gr. Sec. post

80.00 Intersected the N & S. line 50 m. N. of post

Rich bottom land W. Oak, Elm, Sugar tree,

B & W. Walnut, Hickory &c. undugth. Spruce

grapevines &c.

West On true line between Sec. 16 & 21

40.00 Set gr. Sec. post, from which

a Hackberry 12 in. diam. bran N 9 E 4 3/4 m. dist. of

a Hickory 9 " " " S 18 W 10 " "

T. A. R. M. W. 2^d Mer. Indiana 367

Ch. P. 1/2

63.10 to E. bank of Mabash

80.00 to Sec. Corner

North Between Sec. 31 & 32

19.50 a W. Ash 15 in. diam.

30.00 to Rich Open prairie

39.75 Cross a road N.E. of S.W.

40.00 Set gr. Sec. post in prairie

No bearing trees

80.00 Set post Cor. to Sec. 29, 30, 31 & 32, from which
an Elm 18 in. diam. bears N 27 W 299 lns. dist. of
no other — in prairie

Over rich bottom land, Ash, Elm, S. Gum,
&c. windingth Spruce, grapevines, &c

East On Land^m between Sec. 29 & 32

6.00 to land timb.[?] (with Oak, Hickory, Soil good)

20.00 to prairie

30.00 to Swampy land, Ash, Elm, Maple, Gum &c.

40.00 Set temporary gr. Sec. post

79.65 Intersected the N. & S. line 27 lns. N. of post
Over prairie as before

West On true line between Sec. 29 & 32

39.82 Set gr. Sec. post at average dist. from which
a Maple 16 in. diam. bears N 70 E 17 lns. dist. of
a Do. 16 " " " S 82 W 18 " "

79.65 to Sec. Corner.

West Between Sec. 30 & 31

5.00 to land timb.[?] (with, Ash, Oak, Elm, Hickory &c.)

40.00 Set gr. Sec. post, from which

a Hickory 10 in. diam. bears N 44 E 51 lns. dist. of
no other trees

60.00 pass prairie 6 chains wide & 1/2 mile long N. & S.

79.72 Intersected the N. boundary 144 lns. S. of post

S. N. R. M. N. 2nd Mer. Indiana

ch. l. m.

Set post Cor. to Sec. 30 & 31, from which
a Elm 8 in. dia. beam N 11 W 14 l. m. dist. of
a W. Ash 15 " " " N 60 E 27 " "
(description of land &c. Omitted) July 2nd 1807

North Between Sec. 29 & 30

5.00 to land timb. with W. Ash, Oak, Hickory &c Soil good
33.15 a W. Oak 24 in. dia.

40.00 Set gr. Sec. post, from which
a Hickory 14 in. dia. beam N 44 E 42 l. m. dist. of
a B. Oak 27 " " " N 83 W 69 " "

80.00 Set post Cor. to Sec. 19, 20, 29 & 30, from which
an Elm 10 in. dia. beam S 66 E 14 l. m. dist. of
a Ho. 8 " " " N 26 W 41 " "
First 1/2 Over prairie - last 1/2 mile rich bottom
W. Ash, Elm, W. Oak, Hickory, W. Walnut &c.
thick undergth of briars, grapevines &c.

East On Rand^m between Sec. 20 & 29

40.00 Set temp^y. gr. Sec. post

78.70 Intersected the N & S. line 27 l. m. S. of post
Rich bottom land, timber as on last mile

West On true line between Sec. 20 & 29

39.35 Set gr. Sec. post at average dist. from which
an Elm 12 in. dia. beam S 42 E 14 l. m. dist. of
a W. Ash 16 " " " N 17 W 32 " "

78.70 to Sec. Corner.

North Between Sec. 19 & 20

40.00 Set gr. Sec. post on S. side of pond from which
a W. Ash 10 in. dia. beam S 80 E 20 l. m. dist. of
a Poplar 10 " " " S 23 W 3 " "

46.00 Over the pond

57.00 to a W. Oak 14 in. dia. on S. bank of Tabash
River, Rich bottom, W. Ash, Elm, W. Oak,

S. N. R. M. 2^d Mer. Indiana

ch. lth

Walnut &c. undng. th Spicewood, bassapar
bing &c.

70.00 to post on N. side of River

80.00 to post Cor. to Sec. 17, 18, 19 & 20

West On Rand^m. between Sec. 19 & 3040.00 Set temp^y. gr. Sec. post55.26 to a Sycamore 20 m. diam. on the bank of the
Mabash, full 120 lth. S. of post on N. side

80.20 to post Cor. to Sec. 19 & 30

Rich bottom land, Ash, Elm, B. M. Walnut
Sycamore &c. Many green briar, vines &c.

East On true line between Sec. 19 & 30

40.10 Set gr. Sec. post at average dist. from which
a Gum 14 m. diam. bears N 74 E 34 lth. dist. 5
a B. Oak 21 " " " S 55 W 7 " "80.20 to Sec. Corner July 4th, 1807

North Between Sec. 16 & 17

29.13 to the S. bank of Mabash

40.00 gr. Sec. Corner m. River

47.37 Set post on N. bank of River from which
a Maple 22 m. diam. bears N 26 E 19 lth. dist. 9
a do. 34 " " " N 73 W 11 " "

55.48 a Sycamore 80 " "

57.00 River distance 150 lth. wide Course S. W.

60.00 Same " " " S. E.

80.00 Set post Cor. to Sec. 8, 9, 16 & 17, from which
a W. Oak 22 m. diam. bears N 65 W 60 lth. dist. 9
a Hickory 12 " " " N 76 E 79 " "Low bottom land, N. ash, Elm, Sycamore
Maple &c. 11th. July 1807.East On Rand^m. between Sec. 9 & 16

10.50 to River distance 200 lth. wide from S. E.

St. R. M. R. 2^d Mer. Indiana

ch. P. Lm.

40.00 Set temp. q. Sec. post

75.20 Intersected the N & S. line 257 Lm. N. of post
Sand timber &c. same as on last mile

West On true line between Sec. 9 & 10

37.60 Set q. Sec. post at average dist. from which
a Hickberry 9 in. dia. beam S 39 E 13 Lm. dist. of
a B. Walnut 16 " " " N 48 W 7 " "

75.20 to Sec. Corner

East On Rand. between Sec. 8 & 17

33.22 to the River

48.20 Set post on E. bank of River, from which
an Elm 12 in. dia. beam S 2 1/2 E 17 Lm. dist. of
a Hickberry 21 " " " N 26 E 35 " "

73.88 to River Dike 180 Lm. wide corner S 45 E

80.92 Intersected the N & S. line 210 Lm. N. of post
(Description of land &c. omitted)

West On true line between Sec. 8 & 17

32.72 post on River as above

40.46 q. Sec. Corner in River

80.92 to Sec. Corner.

North Between Sec. 8 & 9

13.00 River Dike 160 Lm. wide Corner S. E.

40.00 Set q. Sec. post, from which
a Hickberry 16 in. dia. beam N 81 E 25 Lm. dist. of
a Hickory 14 " " " S 70 W 21 " "

60.55 a Mulberry 16 " " "

80.00 Set post Cor. to Sec. 4, 5, 8 & 9, from which
a Gum 25 in. dia. beam N 46 E 29 Lm. dist. of
an Elm 12 " " " S 71 W 20 " "Low overflowed bottom, Gum, Elm, Maple
Hickory &c. undergth grape vines &c

T. N. R. M. W. 2nd Mer. Indianach. 2nd llyEast On Rand^m. between Sec. 4 & 9

4.00 to Swamp Ash & Elm

10.00 Open Marsh or pond

40.00 Set stump, q^r. Sec. post in pond

59.00 through the pond

75.40 Intersected the N & S. line 150 lly. N. of post.
(Description of land &c. Omitted)

West On true line between Sec. 4 & 9

37.70 Set q^r. Sec. post in Marsh
no tree near

75.40 to Sec. Corner - low Swampy land

North Between Sec. 4 & 5

40.00 Set q^r. Sec. post, from which
a Hickory 9 in. dia. beam N 5 E 8 lly. dist. of
a W. Ash 24 " " " N 80 W 3 " "78.33 Intersected N. boundary 8.71 E. of post
Set post Cor. to Cor. to Sec. 4 & 5, from which
a Gum 36 in. dia. beam N 65 W 19 lly. dist. of
an Elm 14 " " " N 13 E 27 " "
Low bottom land, intersected with small
ponds & Swamp

North Between Sec. 5 & 6

15.00 post on (N.) bank of River, from which
a W. Ash 12 in. dia. beam N 83 W 10 lly. dist. of
an Elm 10 " " " East 30 " "40.00 Set q^r. Sec. post, from which
an Elm 7 in. dia. beam N 80 W 7 lly. dist. of
a Hornbeam 8 " " " N 40 E 13 " "48.00 Set post on left bank of Wabash, from which
a Sugar 15 in. dia. beam N 8 E 11 lly. dist. of
a W. Ash 18 " " " N 45 W 49 " "
Rich Bottom land, W. Ash, Elm, Sugar tree
Honey Locust &c. growing. Spruce & Poplar.

S. N. R. M. T. 2^d. Mer Indiana

ch. l. m.

East On Rand. between Sec. 5 & 8

8.66 to E. bank of Mabash, 1st post, from which
a Maple 20 in. dia. bear S 41 E 15 lns dist. of

a Do. 10 " " " N 35 W 15 " "

40.00 1st temp. gr. Sec. post

81.15 Intersected the N & S. line 20 lns. N. of post

Rich bottom, Ash, Elm, B. Walnut, Gum

etc. undergth. Spice & Grape vines

Post On true line between Sec. 5 & 8

40.57 1st gr. Sec. post at average dist. from which
a Hoopash 20 in. dia. bear S 56 W 19 lns. dist. of

a Buckeye 16 " " " N 71 E 7 " "

72.59 to post on River bank as above

81.15 to Sec. Corner

Meanders of White River, Right
Bank, from post in Range line
thence down stream,

Post 16.50 in Sec. 24

S 75 W 12.00

S 65 W 4.50

S 70 W 5.00

S 60 W 3.50

S 55 W 10.00

S 41 W 9.00

S 23 W 5.00

S 10 W 5.00

S 16 W 4.50

S 5 W 3.96 to line between Sec. 24 & 25

South 7.00 in Sec. 25

S 10 E 6.50

S 22 E 8.50

S 30 E 8.00

S 37 E 4.00

N. N. R. N. D. Mer. Indiana

373

Course distances

S30E 10.00
 S17E 9.00
 S16W 7.50
 S26W 7.50
 S37W 11.50
 S26W 10.38 to line between Sec. 25 & 36

S20W 16.50 in Sec. 36
 S30W 20.00
 S20W 6.50
 S8W 33.00
 S16W 9.69 to post in South Boundary

Meandering of the Left Bank of
White River, from a post in the
Base line S. boundary of Sec 36

N19 $\frac{3}{4}$ E 8.84 in Sec. 36
 N7 $\frac{1}{2}$ E 7.07
 N10W 9.00 on sand beach
 N24 $\frac{1}{2}$ E 7.30 off on bank
 N20E 6.80
 N22 $\frac{1}{2}$ E 6.50
 N22E 5.00
 N35E 4.50
 N11E 3.89
 N28 $\frac{1}{2}$ E 4.14
 N23E 5.02
 N20E 4.21
 N25E 9.64
 N19 $\frac{1}{2}$ E 4.40 to line between Sec. 25 & 36

N19 $\frac{1}{2}$ E 4.30 in Sec. 25
 N33 $\frac{1}{2}$ E 12.80
 N30E 5.47
 N29 $\frac{1}{2}$ E 4.94
 N6E 2.88

374

S. N. R. M. 2^d Mer. Indiana

Course distance

N10E 2.74
 N11E 4.15
 N12E 7.86
 N29E 9.52
 N35E 5.00
 N33E 0.22
 N47E 5.32 on sand bar
 N18E 9.14
 N3E 8.60 to line between Secs. 24 & 25 = 8.3 km.
 West of Meander post

N3E 5.03 in Sec. 24
 N9E 13.50 150 km. from the bank on sand bar
 N57E 8.50 on the bank
 N63E 4.75
 N58E 11.66
 N66E 6.75
 N73E 9.82 to Range line between Ranges 10 &
 11 N. the Meanders of this Left
 bank taken by E. Buckingham, D.S.
 in November 1804

Meanders of the Left bank of the
 Wabash, from Post on West
 Range line, thence up stream

N50E 22.00 in Sec. 30
 N45E 11.00 to line between Secs. 19 & 30

N40E 27.00 in Sec. 19
 N30E 26.00
 N20E 5.00
 N10E 6.00
 N45E 8.50
 N75E 3.50
 N75E 4.50
 N80E 8.50

T. N. R. N. 2nd Mer. Indiana

375

Course	distance	
N30E	2.74	to line between Sec. 19 & 20
N30E	7.00	in Sec. 20
N45E	9.50	
N60E	14.00	
N70E	10.00	
N75E	5.00	
N82E	7.00	
N80E	10.00	
N70E	5.00	
N60E	12.00	
N50E	8.00	
N40E	6.00	to line between Sec. 20 & 21
N40E	13.00	in Sec. 21
N30E	10.00	
N25E	7.35	to line between Sec. 16 & 21
N13E	2.00	in Sec. 16
N10E	13.10	
North	9.00	
N14W	10.00	
N28W	8.00	
N35W	6.00	
N50W	7.24	to line between Sec. 16 & 17
N56W	13.00	in Sec. 17 (at 10.60. mouth of ^{River} Desha)
N53W	15.00	
N43W	6.00	
N35W	7.00	
N20W	7.90	to line between Sec. 8 & 17
N20W	6.00	in Sec. 8. July 12 th 1877
N30W	11.00	
N36W	12.00	
N23W	8.50	

376

T. 1 N. R. 11 W. 2nd Mer. Indiana

Common distances

N 10 W 22.00

N 20 W 7.00

N 30 W 8.00

N 40 W 10.00

N 50 W 6.20 to line between Secs. 5 & 8

N 30 W 17.32 to line between Secs. 5 & 6

N 30 W 7.00 in Sec. 6,

N 40 W 6.50

N 22 W 4.00

North 5.00

N 20 E 5.00

N 37 E 10.00

N 50 E 3.53 to line between Secs. 5 & 6

N 52 E 8.34 in Sec. 5

N 60 E 21.00

N 65 E 13.00

N 60 E 15.00 (at 5.50 a run 40 lks. from E.)
to the N. boundary of the township
Monday, 13th July 1847

Daniel Sullivan

Deputy Surveyor

I certify that the foregoing transcript of field notes of Township 1 N. 11 North of Range 11 W. 2nd Mer. Indiana, has been compared with the original notes in this Office, and found to be correct.

Surveyor General's Office
Cincinnati, Sept. 16th 1842

William Johnston
Sur. Genl.